



SINGLE USE & REUSABLE ELECTROSURGICAL INSTRUMENTS




Table of Contents

● European Bipolar Forceps.....	1-6
● European Irrigation Bipolar Forceps.	7-7
● European Non-Stick Bipolar Forceps.	8-10
● US Bipolar Forceps.	11-16
● Monopolar Forceps.	17-17
● US Irrigation Bipolar Forceps.	18-18
● US Non-Stick Bipolar Forceps.	19-20
● Hand-Switch Bipolar Forceps.	21-21
● Hand-Switch Monopolar Forceps.	22-22
● Diathermy Instruments.....	23-24
● Disposable Bipolar Forceps.....	25-26
● OB/Gyn Leep Instruments.....	27-29
● OB/Gyn Laser Surgery Instruments.....	30-31
● Laparoscopic & Arthroscopic Electrode.	
●	32-33
● Electrosurgical Pencil & Electrode.....	34-38
● Electrosurgical Cable.....	39-41
● Bipolar Artery Sealer.	42-42



The SURGICOSE bipolar forceps are available in various lengths and shapes for different surgical and anatomical requirements. The reusable bipolar forceps make it easy to coagulate tissue. Sticking effects on the tips of the forceps are reduced to a minimum

Advantages of Reusable European Bipolar Forceps

- *Highly polished tips reduce tissue adherence.*
- *Light closing force causes less fatigue over time.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Reusable, durable, and designed for multiple uses.*
- *The Instruments is atoclavable.*
- *Compatible with all common electrosurgery unit.*

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'saap : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



381-100

McPherson



381-102

McPherson Ang.



381-104

Jeweller #5 Str



381-106

Jeweller #5 Ang



381-108


Jeweller #7



381-110

Adson

Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-100	McPherson	0.5	10.2
381-102	McPherson Angled	0.5	10.2
381-104	Jeweller #5	0.5, 0.7	11.5
381-106	Jeweller #5 Angled	0.5, 0.7	11.5
381-108	Jeweller #7	0.5, 0.7	11.5
381-110	Adson	1.0	12.0
381-112	Adson	1.0	15.0


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-114	Straight	0.5, 1.0, 2.0	15.0
381-114-N	Straight	0.5, 1.0, 2.0	15.0
381-116	Straight	0.5, 1.0, 2.0	18.0
381-118	Straight	0.5, 1.0, 2.0	20.0
381-120	Straight	0.5, 1.0, 2.0	22.0
381-122	Straight	0.5, 1.0, 2.0	24.0


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-124	Straight Angled	0.5, 1.0, 2.0	15.0
381-126	Straight Angled	0.5, 1.0, 2.0	18.0
381-128	Straight Angled	0.5, 1.0, 2.0	20.0
381-130	Straight Angled	0.5, 1.0, 2.0	22.0
381-132	Straight Angled	0.5, 1.0, 2.0	24.0


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-134	Bayonet	0.5, 1.0, 2.0	16.5
381-134-N	Bayonet	0.5, 1.0, 2.0	16.5
381-136	Bayonet	0.5, 1.0, 2.0	18.0
381-138	Bayonet	0.5, 1.0, 2.0	20.0
381-140	Bayonet	0.5, 1.0, 2.0	22.0
381-142	Bayonet	0.5, 1.0, 2.0	24.0




TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-144	Bayonet Angled Up	0.5, 1.0, 2.0	16.5
381-146	Bayonet Angled Up	0.5, 1.0, 2.0	18.0
381-148	Bayonet Angled Up	0.5, 1.0, 2.0	20.0
381-150	Bayonet Angled Up	0.5, 1.0, 2.0	22.0
381-152	Bayonet Angled Up	0.5, 1.0, 2.0	24.0

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House


Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-154	Bayonet Angled Down	0.5, 1.0, 2.0	16.5
381-156	Bayonet Angled Down	0.5, 1.0, 2.0	18.0
381-158	Bayonet Angled Down	0.5, 1.0, 2.0	20.0
381-160	Bayonet Angled Down	0.5, 1.0, 2.0	22.0
381-162	Bayonet Angled Down	0.5, 1.0, 2.0	24.0

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



It is well known that depending on the generator and the surface quality of the forceps jaws, coagulated tissue tends to more or less stick to the instrument jaw. This unwanted effect can occur particularly often with liver tissue and is critical in neurosurgery. For these applications in particular, we have designed our Bipolar Forceps with integrated irrigation channel. The coagulation area is irrigated through a built-in irrigation channel inside the forceps branch which can be connected to a standard irrigation hose. By means of this irrigation the sticking of the tissue is substantially reduced and surgical work is made easier.

Advantages of Reusable European Irrigation Bipolar Forceps

- A universal hub connector allows irrigation tubing to be connected easily.
- The ergonomically designed handle provides less fatigue and a well balanced instrument.
- Nylon coating resists abrasion and provides superb insulation.
- For high visibility our irrigation tube can be recessed into the forceps blank (buried irrigation).
- Compatible with all common electrosurgery unit.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design

381-170-IR-N Bayonet Irrigation




381-170-IR Bayonet Irrigation




381-168-IR Bayonet Irrigation



381-166-IR Straight Irrigation



381-164-IR Straight Irrigation



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-164-IR	Straight Irrigation	0.5, 1.0, 2.0	18.0
381-166-IR	Straight Irrigation	0.5, 1.0, 2.0	20.0
381-168-IR	Bayonet Irrigation	0.5, 1.0, 2.0	18.0
381-170-IR	Bayonet Irrigation	0.5, 1.0, 2.0	20.0
381-170-IR-N	Bayonet Irrigation	0.5, 1.0, 2.0	20.0

Note: More Bipolar Irrigation Forceps are available use IR extension to any regular bipolar forceps.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com



During the caogulation process, tissue and tips of forceps can stick together. Our non-stick bipolar forceps are made with a special silver coating and therefore prevent tissue from sticking. Disturbing and time consuming disruptions for cleaning the tips during surgery are thus avoided. Due to the good thermal qualities of silver the temperature of the forceps tips does not exceed 100°C during coagulation, which enhances the non-stick effect. With over ten years of experience we can guarantee that our bipolar forceps do not stick. The non-stick effect remains constant and is not reduced by frequent sterilization. Our non-stick bipolar forceps together with the appropriate connection cables are compatible with all common types of high-frequency units such as Erbe, Martin, Berchtold, Valleylab. SURGICOSE Bipolar forceps non-stick are available in straight, angled or bayonet shape. Available lengths range from 110 to 300 mm. Tips can be made from 0.25 to 2.0 mm as with flat pin or 2-pin plug. width. Forceps are also available with different measurements as well

Advantages of Reusable Non-Stick European Bipolar Forceps

- Ten years of experience speak for themselves. Our forceps do not stick – never!
- No cleaning during surgery
- Especially high thermal qualities
- All Non-stick Bipolar Forceps are re-usable and autoclavable.
- Compatible with all common electrosurgery unit.


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'saap : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**: Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-172-NS	McPherson	0.5,	10.2
381-174-NS	McPherson Angled	0.5,	10.2
381-176-NS	Jeweller #5	0.5, 0.7	11.5
381-178-NS	Jeweller #5 Angled	0.5, 0.7	11.5
381-180-NS	Adson	1.0	12.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref		Tip Size (mm)	Length Size (cm)
381-181-NS-N	Straight	0.5, 1.0, 2.0	15.0
381-182-NS	Straight	0.5, 1.0, 2.0	15.0
381-184-NS	Straight	0.5, 1.0, 2.0	18.0
381-186-NS	Straight	0.5, 1.0, 2.0	20.0
381-188-NS	Straight	0.5, 1.0, 2.0	22.0


Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-190-NS	Bayonet	0.5, 1.0, 2.0	16.5
381-190-NS-N	Bayonet	0.5, 1.0, 2.0	16.5
381-192-NS	Bayonet	0.5, 1.0, 2.0	18.0
381-194-NS	Bayonet	0.5, 1.0, 2.0	20.0
381-196-NS	Bayonet	0.5, 1.0, 2.0	22.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



The
WWW.MEDSURGICAL.COM
length and shapes

bipolar forceps are available in various
for different surgical and anatomical requirements. The reusable Bipolar
forceps make it easy to coagulate tissue. Sticking effects on the tips of the
.forceps are reduced to a minimum

Advantages of Reusable US Bipolar Forceps

- *Highly polished tips reduce tissue adherence.*
- *Light closing force causes less fatigue over time.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Reusable, durable, and designed for multiple uses.*
- *Precision tip alignment aids fine control.*
- *The Instruments is atoclavable.*
- *Compatible with all common electrosurgery unit.*


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House


Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-230	McPherson	0.5	10.2
381-230-N	McPherson	0.5	10.2
381-232	McPherson Angled	0.5	10.2
381-234	Coaptation Nedler	0.5	10.2
381-236	Coaptation	0.5	10.8
381-238	Jeweller #5	Needle, 0.5	11.5


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House


Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-240	Jeweller #4	Needle, 0.5	11.5
381-242	Tenzel	Needle, 0.5	10.2
381-244	Jeweller #7	Needle, 0.5	11.5
381-246	Iris Straight	Needle, 0.5	10.8
381-248	Iris Angled	0.5, 1.0	10.8


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House


Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip Chart







Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-250	Adson	1.0	12.0
381-250-N	Adson	1.0	12.0
381-252	Semkin	0.5, 1.0	14.0
381-252-N	Semkin	0.5, 1.0	14.0
381-254	Cushing	1.0, 1.5, 2.0	15.9
381-256	Cushing	1.0, 1.5, 2.0	17.8


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-258	Cushing Gursh	1.0, 1.5, 2.0	17.8
381-260	Gerald Straight	1.0, 1.5, 2.0	17.8
381-262	Gerald Angled	1.0, 1.5, 2.0	17.8
381-264	Gerald Bayonet	1.0, 1.5, 2.0	18.4


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House


Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip Chart







Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-266	Jansen Bayonet	1.0, 1.5, 2.0	15.2
381-268	Jansen Bayonet	1.0, 1.5, 2.0	17.8
381-270	Jansen Bayonet	1.0, 1.5, 2.0	20.4
381-272	Malis	1.0, 1.5, 2.0	17.8


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-274	Scoville-Greenwood	1.0, 1.5	19.1
381-276	Yasargil	1.0, 1.5	19.7
381-278	Hardy Bayonet	1.0, 1.5	21.6
381-280	Hardy Bayonet Angled	1.0, 1.5	21.6

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Our Monopolar instruments are tested at high volts to ensure proper functioning during the most stringent operations. With the best quality stainless steel, excellent finishing and superior insulation, we provide worldwide guarantee for all our Monopolar instruments.

Advantages of Reusable Monopolar Forceps

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Compatible with all common electrosurgery unit.*

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design

381-282

Jeweller #4



381-284

Jeweller #7



381-286

Adson



381-288

Potts-Smith



381-292

Potts-Smith



381-294

Jansen Bayonet



381-296

Jansen Bayonet




381-302

Jansen Bayonet UP



Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-282	Jeweller #4	Needle	11.5
381-284	Jeweller #7	Needle	11.5
381-286	Adson	1.0	12.0
381-288	Potts-Smith	2.0	17.8
381-290	Potts-Smith	2.0	21.0
381-292	Potts-Smith	2.0	24.1
381-294	Jansen Bayonet	1.5	13.3
381-296	Jansen Bayonet	1.5	15.9
381-298	Jansen Bayonet	2.0	19.1
381-300	Jansen Bayonet	2.0	21.0
381-302	Jansen Bayonet UP	2.0	19.1
381-304	Jansen Bayonet UP	2.0	21.0

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com



It is well known that depending on the generator and the surface quality of the forceps jaws, coagulated tissue tends to more or less stick to the instrument jaw. This unwanted effect can occur particularly often with liver tissue and is critical in neurosurgery. For these applications in particular, we have designed our Bipolar Forceps with integrated irrigation channel. The coagulation area is irrigated through a built-in irrigation channel inside the forceps branch which can be connected to a standard irrigation hose. By means of this irrigation the sticking of the tissue is substantially reduced and surgical work is made easier.

Advantages of Reusable US Irrigation Forceps

- A universal hub connector allows irrigation tubing to be connected easily.
- The ergonomically designed handle provides less fatigue and a well balanced instrument.
- For high visibility our irrigation tube can be recessed into the forceps blank (buried irrigation).
- Compatible with all common electrosurgery unit.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'saap : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



381-306-IR Hardy Bayonet



381-308-IR Jansen Bayonet



381-308-IR-N Jansen Bayonet



381-310-IR Scoville-Greenwood




381-312-IR Gerald Bayonet



381-314-IR Straight

Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-306-IR	Hardy Bayonet	0.5, 1.0, 1.5	21.6
381-308-IR	Jansen Bayonet	0.5, 1.0, 1.5	19.1
381-308-IR-N	Jansen Bayonet	0.5, 1.0, 1.5	19.1
381-310-IR	Scoville-Greenwood	0.5, 1.0, 1.5	19.7
381-312-IR	Gerald Bayonet	0.5, 1.0, 1.5	18.4
381-314-IR	Straight	0.5, 1.0, 1.5	15.9

Note: More Irrigation Bipolar Forceps are available use IR extension to any regular bipolar forceps.

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



During the caogulation process, tissue and tips of forceps can stick together. non-stick bipolar forceps are made with an expensive silver alloy and therefore prevent tissue from sticking. Disturbing and time consuming disruptions for cleaning the tips during surgery are thus avoided. Due to the good thermal qualities of silver the temperature of the forceps tips does not exceed 100°C during coagulation, which enhances the non-stick effect. With over ten years of experience we can guarantee that our bipolar forceps do not stick. The non-stick effect remains constant and is not reduced by frequent sterilization. Our non-stick bipolar forceps together with the appropriate connection cables are compatible with all common types of high-frequency units such as Erbe, Martin, Berchtold, Valleylab. WWW.JIMEDSURGICAL.COM Bipolar forceps non-stick are available in straight, angled or bayonet shape. Available lengths range from 110 to 300 mm. Tips can be made from 0.25 to 2.0 mm width. Forceps are also available with different measurements as well as with flat pin or 2-pin plug.

Advantages of Reusable Non-Stick European Bipolar Forceps

- Ten years of experience speak for themselves. Our forceps do not stick – never!
- No cleaning during surgery
- Especially high thermal qualities
- All Non-stick Bipolar Forceps are re-usable and autoclavable.
- Compatible with all common electrosurgery unit.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'saap : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



381-316-NS-N

McPherson



381-316-NS

McPherson



381-318-NS

McPherson Angled



381-320-NS

Jeweller #5



381-322-NS

Jeweller #4



381-324-NS


Adson



381-326-NS

Semkin

Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-316-NS	McPherson	0.5	10.2
381-316-NS-N	McPherson	0.5	10.2
381-318-NS	McPherson Angled	0.5	10.2
381-320-NS	Jeweller #5	Needle, 0.5	11.5
381-322-NS	Jeweller #4	Needle, 0.5	11.5
381-324-NS	Adson	1.0	12.0
381-326-NS	Semkin	0.5, 1.0	14.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.



381-328-NS

Cushing



381-332-NS

Gerald Bayonet



381-334-NS

Jansen Bayonet



381-336-NS

Scoville-Greenwood



381-338-NS


Yasargil



381-340-NS

Hardy Bayonet

Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-328-NS	Cushing	1.0, 1.5, 2.0	15.9
381-330-NS	Cushing	1.0, 1.5, 2.0	17.8
381-332-NS	Gerald Bayonet	1.0, 1.5	18.4
381-334-NS	Jansen Bayonet	1.0, 1.5	15.9
381-336-NS	Scoville-Greenwood	1.0, 1.5	19.1
381-338-NS	Yasargil	1.0, 1.5	19.7
381-340-NS	Hardy Bayonet	1.0, 1.5	21.6

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

381-341-HS

Jeweller #4

381-342-HS

Semkin


381-343-HS

Jansen Bayonet

381-344-HS

Scoville-Greenwood

Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-341-HS	Jeweller #4	0.5,	11.5
381-342-HS	Semkin	0.7	14.0
381-343-HS	Jansen Bayonet	0.7	19.1
381-344-HS	Scoville-Greenwood	1.5	19.7

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design

381-345-HS

Jansen Bayonet

381-346-HS

Jansen Bayonet


381-347-HS

Potts-Smith

381-348-HS

Potts-Smith

Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-345-HS	Jansen Bayonet	2.0	19.0
381-346-HS	Jansen Bayonet	2.0	21.0
381-347-HS	Potts-Smith	2.0	21.0
381-348-HS	Potts-Smith	2.0	24.0

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Our Diathermy instruments are tested at high volts to ensure proper functioning during the most stringent operations. With the best quality stainless steel, excellent finishing and superior insulation, we provide worldwide guarantee for all our Diathermy instruments. Diathermy instruments are available in four base types. Models popular Diathermy Instruments : Adson, Jeweller, McIndoe, Standard, Bayonet, Artery Forceps, Wilson Hey Forceps, Diathermy Scissors, etc in various lengths, tip sizes, and 4 plug types

Advantages of Reusable Diathermy Instruments

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Precision tip alignment aids fine control.*
- *Compatible with all common electrosurgery unit.*

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tuner Warwick Scissors (STR)
381-350



Tuner Warwick Scissors (CRV)
381-352



Dressing Scissors (STR)
381-358



Dressing Scissors (CRV)
381-360



Wilson Hey Forceps (STR)
381-366



Wilson Hay Forceps (CRV)
381-368




Artery Forceps (STR)
381-374



Artery Forceps (CRV)
381-376



Abbey Needle
381-382



Richie Forceps
381-384

ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-350	Tuner Warwick Scissors (STR)	-	17.8
381-352	Tuner Warwick Scissors (CRV)	-	17.8
381-354	Tuner Warwick Scissors (STR)	-	23.0
381-356	Tuner Warwick Scissors (CRV)	-	23.0
381-358	Dressing Scissors (STR)	-	17.8
381-360	Dressing Scissors (CRV)	-	17.8
381-362	Dressing Scissors (STR)	-	23.0
381-364	Dressing Scissors (CRV)	-	23.0
381-366	Wilson Hay Forceps (STR)	-	17.8
381-368	Wilson Hay Forceps (CRV)	-	17.8
381-370	Wilson Hay Forceps (STR)	-	23.0
381-372	Wilson Hay Forceps (CRV)	-	23.0
381-374	Artery Forceps (STR)	-	17.8
381-376	Artery Forceps (CRV)	-	17.8
381-378	Artery Forceps (STR)	-	23.0
381-380	Artery Forceps (CRV)	-	23.0
381-382	Abbey Needle	-	17.5
381-384	Richie Forceps	-	17.8
381-386	Richie Forceps	-	20.0
381-388	Richie Forceps	-	23.0

EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-390	Tuner Warwick Scissors (STR)	-	17.8
381-392	Tuner Warwick Scissors (CRV)	-	17.8
381-394	Tuner Warwick Scissors (STR)	-	23.0
381-396	Tuner Warwick Scissors (CRV)	-	23.0
381-398	Dressing Scissors (STR)	-	17.8
381-400	Dressing Scissors (CRV)	-	17.8
381-402	Dressing Scissors (STR)	-	23.0
381-404	Dressing Scissors (CRV)	-	23.0
381-406	Wilson Hay Forceps (STR)	-	17.8
381-408	Wilson Hay Forceps (CRV)	-	17.8
381-410	Wilson Hay Forceps (STR)	-	23.0
381-412	Wilson Hay Forceps (CRV)	-	23.0
381-414	Artery Forceps (STR)	-	17.8
381-416	Artery Forceps (CRV)	-	17.8
381-418	Artery Forceps (STR)	-	23.0
381-420	Artery Forceps (CRV)	-	23.0
381-422	Abbey Needle	-	17.5
381-424	Richie Forceps	-	17.8
381-426	Richie Forceps	-	20.0
381-428	Richie Forceps	-	23.0



Adson
381-430



McINDOE
381-432



Gillies
381-434



Dissecting
381-442



Gerald
381-450



Adson Bayonet
381-452



Adson Bayonet UP
381-456



Remington Hobb
381-462

ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-430	Adson	1.0	12.0
381-432	McINDOE	1.0, 2.0	15.0
381-434	Gillies	-	15.0
381-436	Gillies	-	17.8
381-438	Gillies	-	20.0
381-440	Gillies	-	24.0
381-442	Dissecting	1.0, 2.0	15.0
381-444	Dissecting	1.0, 2.0	17.8
381-446	Dissecting	1.0, 2.0	21.0
381-448	Dissecting	1.0, 2.0	24.1
381-450	Gerald 1x2	-	17.8
381-452	Adson Bayonet	1.0, 2.0	16.0
381-454	Adson Bayonet	1.0, 2.0	19.1
381-456	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-458	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-460	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-462	Remington Hobb	1.0, 2.0	24.1

EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-364	Adson	1.0	12.0
381-366	McINDOE	1.0, 2.0	15.0
381-368	Gillies	-	15.0
381-370	Gillies	-	17.8
381-372	Gillies	-	20.0
381-474	Gillies	-	24.0
381-476	Dissecting	1.0, 2.0	15.0
381-478	Dissecting	1.0, 2.0	17.8
381-480	Dissecting	1.0, 2.0	21.0
381-482	Dissecting	1.0, 2.0	24.1
381-484	Gerald 1x2	-	17.8
381-486	Adson Bayonet	1.0, 2.0	16.0
381-488	Adson Bayonet	1.0, 2.0	19.1
381-490	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-492	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-494	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-496	Remington Hobb	1.0, 2.0	24.1

ENGLISH MONOPOLAR MALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-498	Adson	1.0	12.0
381-500	McINDOE	1.0, 2.0	15.0
381-502	Gillies	-	15.0
381-504	Gillies	-	17.8
381-506	Gillies	-	20.0
381-508	Gillies	-	24.0
381-510	Dissecting	1.0, 2.0	15.0
381-512	Dissecting	1.0, 2.0	17.8
381-514	Dissecting	1.0, 2.0	21.0
381-516	Dissecting	1.0, 2.0	24.1
381-518	Gerald 1x2	-	17.8
381-520	Adson Bayonet	1.0, 2.0	16.0
381-522	Adson Bayonet	1.0, 2.0	19.1
381-524	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-526	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-528	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-530	Remington Hobb	1.0, 2.0	24.1

MONOPOLAR WITHOUT CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-532	Adson	1.0	12.0
381-534	McINDOE	1.0, 2.0	15.0
381-536	Gillies	-	15.0
381-538	Gillies	-	17.8
381-540	Gillies	-	20.0
381-542	Gillies	-	24.0
381-544	Dissecting	1.0, 2.0	15.0
381-546	Dissecting	1.0, 2.0	17.8
381-548	Dissecting	1.0, 2.0	21.0
381-550	Dissecting	1.0, 2.0	24.1
381-552	Gerald 1x2	-	17.8
381-554	Adson Bayonet	1.0, 2.0	16.0
381-556	Adson Bayonet	1.0, 2.0	19.1
381-558	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-560	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-562	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-564	Remington Hobb	1.0, 2.0	24.1



WWW.JIMEDSURGICAL.COM disposable bipolar forceps have been designed and tested to meet the practical. The main purpose for offering single-use bipolar forceps is to avoid the risk of contamination while remaining cost effective and utilizing the functionalities of the higher end forceps. Hardened stainless steel provides an optimum spring tension and serves as the basis for a superior instrument

Advantages of Disposable Bipolar Forceps

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Cost effective in comparison to re-usable.*
- *All Bipolar forceps available with cable, sterile packed.*
- *Compatible with all common electrosurgery unit.*

TEAM WORK


Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'saap : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



381-570-DP

Jeweller #5



381-572-DP

Straight



381-574-DP

Bayonet



381-576-DP


Straight



381-578-DP

Straight Angled

Tip Chart



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: **TIP**- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-570-DP	Jeweller #5 With 3m Cable	0.5	11.5
381-572-DP	Straight With 3m Cable	1.0, 1.5	18.0
381-574-DP	Bayonet With 3m Cable	1.0, 1.5	18.0
381-576-DP	Straight	1.0, 1.5	18.0
381-578-DP	Bayonet	1.0, 1.5	20.0

Note: More Disposable Bipolar Forceps are Available Use DP extension to any regular Bipolar Forceps.


TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Tip size can be changed as per your requirement, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-580-DP	US. Gerald	1.0, 1.5	17.8
381-582-DP	US. Jansen Bayonet Irrigation	1.0, 1.5	19.1
381-584-DP	US. Jansen Bayonet	1.0, 1.5	17.8
381-586-DP	US. Jeweller #5	0.5	11.5
381-588-DP	US. Adson	1.0	12.1

Note: More Disposable Bipolar Forceps are Available Use DP extension to any regular Bipolar Forceps.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



The First Choice For Proven Performance,
WWW.JIMEDSURGICAL.COM
Provides The Broadest

selection of fully autoclavable instruments for LEEP procedures. Our "rose coated" instruments will provide you with durability and performance unmatched in the industry. Models Available: Graves, Pederson, VU-More, 4-Way, Cusco, Collin, Weisman, Gelpi, Rigby, Lateral, Lateral Vaginal, .Endocervical, Iris, Emmet, Straight, two-prong, three-prong, etc

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Graves Vaginal Speculum

With Smoke Evacuation Tube

Small **381-600**

Medium **381-602**

Large **381-604**

Disposable Tube



Small **381-606**

Medium **381-608**

Large **381-610**



Pederson Vaginal Speculum

With Smoke Evacuation Tube

Small **381-612**

Medium **381-614**

Large **381-616**

Disposable Tube



Small **381-618**

Medium **381-620**

Large **381-622**



VU-Max Grave Vaginal Speculum

With Smoke Evacuation Tube

Medium **381-624**

Large **381-626**

Disposable Tube



Medium **381-628**

Large **381-630**



VU-Max Pederson Vaginal Speculum

With Smoke Evacuation Tube

Medium **381-632**

Large **381-634**

Disposable Tube



Medium **381-636**

Large **381-638**



Collin Vaginal Speculum

With Smoke Evacuation Tube

Small **381-640**

Medium **381-642**

Large **381-644**



CUSCO Vaginal Speculum

With Smoke Evacuation Tube

Small **381-646**

Medium **381-648**

Large **381-650**



Disposable Tube



VU-More Graves Vaginal Speculum Medium **381-656**
With Smoke Evacuation Tube
Medium **381-652**
Large **381-654**



4-Blades Speculum
With Smoke Evacuation Tube
Medium **381-660**
Large **381-662**



Disposable Tube



Weisman Vaginal Speculum
Right Side Open
With Smoke Evacuation Tube
Medium **381-664**
Large **381-666**



Disposable Tube



Weisman Vaginal Speculum
Left Side Open
With Smoke Evacuation Tube
Medium **381-672**
Large **381-674**



Lateral Retractor
Wide Open
381-680



Rigby Retractor
Wide Open
381-682



Gelpi Retractor
Wide Open
381-684



Kogan Speculum
3mm 381-686
4mm 381-688
5mm 381-690



Lateral Retractor
21cm 22mmx75mm
381-692



**Schroeder
Tanaculum 24cm**
381-694



**Schroeder
Tanaculum 24cm**
381-696



**Single Tooth
Tanaculum 24cm**
381-698



**Campion
Forceps 22cm**
381-700



**Spong
Forceps 22cm**
381-702

Dressing Forceps
381-704 21cm
381-706 25cm



Tissue Forceps
381-708 21cm
381-710 25cm



Iris Hook
381-712 25cm



Emmet Hook
381-714 25cm



Emmet Hook Straight
381-716 25cm



Emmet Hook Two Prong
381-718 25cm



Emmet Hook Three Prong
381-720 25cm



TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Through a non-reflective coating technique the glare produced during laser surgery is significantly minimized. The stainless steel surface is specially prepared keeping in mind the superior coating requirements for our range of laser surgery instruments. Custom sizes and shapes are available as well as partial gold plating services for certain instruments as per customer requirements. Models Available: Graves, Pederson, VU-More, 4-Way, Cusco, Collin, Weisman, Gelpi, Rigby, Lateral, Lateral Vaginal, Endocervical, Iris, Emmet, Straight, two-prong, three-prong, etc.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Graves Vaginal Speculum

With Smoke Evacuation Tube

Small **381-750**

Medium **381-752**

Large **381-754**



Pederson Vaginal Speculum

With Smoke Evacuation Tube

Small **381-756**

Medium **381-758**

Large **381-760**



Collin Vaginal Speculum

With Smoke Evacuation Tube

Small **381-762**

Medium **381-764**

Large **381-766**



Lateral Vaginal Speculum

381-766

Kogan Endocervical Speculum



3mm **381-770**



4mm **381-772**



5mm **381-774**

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com



Rigby Retractor
381-778



Gelpi Retractor
381-776



Schroeder Tenaculum
381-780



Iris Hook
381-782



Emmet Hook
381-784



Emmet Hook Straight
381-786



Emmet Hook Two Prong
381-788



Emmet Hook Three Prong
381-790



These E-Z Clean Laparoscopic Electrodes are made from very high quality raw material which ensures hassle free work performance at its user end. These E-Z Clean Laparoscopic Electrodes are widely finds its applications in various medical sectors.

Salient Features of our E-Z Clean Laparoscopic Electrodes

- Provide excellent dissection and coagulation for a variety of surgical applications.
- High-tech PTFE coating for reduced eschar buildup.
- Reintroduction during surgery is minimized.
- Lower power settings for safer delivery of electrosurgery.
- Tips are cost-effective because they Save Time and Money.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'saap : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

Without Suction



L-Hook Electrode 36cm
381-800



J-Hook Electrode 36cm
381-802



Needle Electrode 36cm
381-804



Spectula Electrode 36cm
381-806



Ball Electrode 36cm
381-808



With Suction



L-Hook Electrode 36cm
381-810



J-Hook Electrode 36cm
381-812



Needle Electrode 36cm
381-814



Spectula Electrode 36cm
381-816



Ball Electrode 36cm
381-818



TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

Dagger 12xm

381-820




Dagger 18cm

381-822



Hook 12cm

381-824



Hook 18cm

381-826



Hockey 12cm

381-828



Hockey 18cm

381-830



Frazier Suction Tube 11FR 13.5cm

381-832



Frazier Suction Tube 11FR 20.5cm

381-834



Frazier Suction Tube 11FR 40.6cm

381-836



TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



electrode handle with blade electrode for single-use. Sterile packaging in individual pouches. Ready to use. This handle is made of high quality material and fits into the surgeon's hand comfortably due to its ergonomic shape. The quality meets highest expectations and fulfills all required international safety regulations.

- Single-use electrode handle including blade electrode and 3 m cable (also available: 5 m)
- Individually packaged, sterile.
- Push buttons for cutting and coagulation.
- Unit side: 3-pin connector.
- Tips are cost-effective because they Save Time and Money.
- Suitable also for use with ERBE, Martin or Berchtold units, by addition of an adapter especially designed for such purpose.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Rocker Switch Pencil (Single Use)
3m Cable 381-854



Foot Control Pencil (Single Use)
3m Cable 381-856
5m Cable 381-858



Finger Switch Pencil (Reusable)
3m Silicon Cable 381-860



Electrode Handle (Reusable)
3m Silicon Cable 381-862



Finger Switch Pencil (Single Use)
3m Cable 381-850
5m Cable 381-852

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Blade Electrode

Disposable: 381-900-S Reusable: 381-900-R



Blade Electrode Crv

Disposable: 381-902-S Reusable: 381-902-R



Needle Electrode

Disposable: 381-904-S Reusable: 381-904-R



Needle Electrode Crv

Disposable: 381-906-S Reusable: 381-906-R



Ball Electrode 2mm

Disposable: 381-908-S Reusable: 381-908-R



Ball Electrode Crv 2mm

Disposable: 381-910-S Reusable: 381-910-R



Ball Electrode 3mm

Disposable: 381-912-S Reusable: 381-912-R



Ball Electrode 3mm Crv

Disposable: 381-914-S Reusable: 381-914-R



Ball Electrode 4mm

Disposable: 381-916-S Reusable: 381-916-R



Ball Electrode 4mm Crv

Disposable: 381-918-S Reusable: 381-918-R



Ball Electrode 5mm

Disposable: 381-920-S Reusable: 381-920-R



Ball Electrode 5mm Crv

Disposable: 381-922-S Reusable: 381-922-R



Blade Electrode Shaft 13cm

Disposable: 381-924-S Reusable: 381-924-R



Needle Electrode Shaft 13cm

Disposable: 381-926-S Reusable: 381-926-R



Ball Electrode 3mm Shaft 13cm

Disposable: 381-928-S Reusable: 381-928-R



Ball Electrode 5mm Shaft 13cm

Disposable: 381-930-S Reusable: 381-930-R



Conization Electrode

Disposable: 381-932-S Reusable: 381-932-R



Circle Loop Electrode 4mm

Disposable: 381-934-S Reusable: 381-934-R



Circle Loop Electrode 6mm

Disposable: 381-936-S Reusable: 381-936-R



Circle Loop Electrode 8mm

Disposable: 381-938-S Reusable: 381-938-R



Diamond Electrode

Disposable: 381-940-S Reusable: 381-940-R



Fine Needle Electrode

Disposable: 381-942-S Reusable: 381-942-R

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Size	1.0x0.4cm	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm
Disposable	381-944-S	381-946-S	381-948-S	381-950-S	381-952-S
Reusable	381-944-R	381-946-R	381-948-R	381-950-R	381-952-R



Size	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm	1.0x1.5cm
Disposable	381-954-S	381-956-S	381-958-S	381-960-S	381-962-S
Reusable	381-954-R	381-956-R	381-958-R	381-960-R	381-962-R



Size	1.5x0.5cm	1.5x0.7cm	1.5x0.8cm	1.5x1.0cm	1.5x1.2cm	1.5x1.5cm
Disposable	381-964-S	381-966-S	381-968-S	381-970-S	381-972-S	381-974-S
Reusable	381-964-R	381-966-R	381-968-R	381-970-R	381-972-R	381-974-R



Size	2.0x0.8cm	2.0x1.0cm	2.0x1.2cm	2.0x1.3cm	2.0x1.5cm	2.0x2.0cm
Disposable	381-976-S	381-978-S	381-980-S	381-982-S	381-984-S	381-986-S
Reusable	381-976-R	381-978-R	381-980-R	381-982-R	381-984-R	381-986-R

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com



Blade Electrode

Disposable: 381-1000-S Reusable: 381-1000-R



Blade Electrode Crv

Disposable: 381-1002-S Reusable: 381-1002-R



Needle Electrode

Disposable: 381-1004-S Reusable: 381-1004-R



Needle Electrode Crv

Disposable: 381-1006-S Reusable: 381-1006-R



Ball Electrode 2mm

Disposable: 381-1008-S Reusable: 381-1008-R



Ball Electrode Crv 2mm

Disposable: 381-1010-S Reusable: 381-1010-R



Ball Electrode 3mm

Disposable: 381-1012-S Reusable: 381-1012-R



Ball Electrode 3mm Crv

Disposable: 381-1014-S Reusable: 381-1014-R



Ball Electrode 4mm

Disposable: 381-1016-S Reusable: 381-1016-R



Ball Electrode 4mm Crv

Disposable: 381-1018-S Reusable: 381-1018-R



Ball Electrode 5mm

Disposable: 381-1020-S Reusable: 381-1020-R



Ball Electrode 5mm Crv

Disposable: 381-1022-S Reusable: 381-1022-R



Blade Electrode Shaft 13cm

Disposable: 381-1024-S Reusable: 381-1024-R



Needle Electrode Shaft 13cm

Disposable: 381-1026-S Reusable: 381-1026-R




Ball Electrode Shaft 3mm 13cm

Disposable: 381-1028-S Reusable: 381-1028-R



Ball Electrode 4mm Shaft 13cm

Disposable: 381-1030-S Reusable: 381-1030-R




Ball Electrode 5mm 13cm

Disposable: 381-1032-S Reusable: 381-1032-R



Circle Loop Electrode 4mm 0.7cm

Disposable: 381-1034-S Reusable: 381-1034-R




Circle Loop Electrode 6mm 0.7cm

Disposable: 381-936-S Reusable: 381-936-R



Circle Loop Electrode 8mm 0.7cm

Disposable: 381-1038-S Reusable: 381-1038-R



Circle Loop Electrode 10mm 0.7cm

Disposable: 381-940-S Reusable: 381-940-R



Plate Electrode Small

Disposable: 381-1042-S Reusable: 381-1042-R



Plate Electrode Large

Disposable: 381-1044-S Reusable: 381-1044-R

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Size	1.0x0.4cm	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm
Disposable	381-1046-S	381-1048-S	381-1050-S	381-1052-S	381-1054-S
Reusable	381-1046-R	381-1048-R	381-1050-R	381-1052-R	381-1054-R



Size	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm	1.0x1.5cm
Disposable	381-1056-S	381-1058-S	381-1060-S	381-1062-S	381-1064-S
Reusable	381-1056-R	381-1058-R	381-1060-R	381-1062-R	381-1064-R



Size	1.5x0.5cm	1.5x0.7cm	1.5x0.8cm	1.5x1.0cm	1.5x1.2cm	1.5x1.5cm
Disposable	381-1066-S	381-1068-S	381-1070-S	381-1072-S	381-1074-S	381-1076-S
Reusable	381-1066-R	381-1068-R	381-1070-R	381-1072-R	381-1074-R	381-1076-R



Size	2.0x0.8cm	2.0x1.0cm	2.0x1.2cm	2.0x1.3cm	2.0x1.5cm	2.0x2.0cm
Disposable	381-1078-S	381-1080-S	381-1082-S	381-1084-S	381-1086-S	381-1088-S
Reusable	381-1078-R	381-1080-R	381-1082-R	381-1084-R	381-1086-R	381-1088-R



WWW.JIMEDSURGICAL.COM Cables are available in disposable and reusable grade. We offer high quality silicon cables even for our single-use instruments thus making sure that all cables are able to withstand electrical current above the standard requirements. Furthermore, numerous tests including continuity and leak test ensures that our cables will work under the toughest requirements. Multiples sizes and plugs are available as per the need of the customer. Our cables are durable, flexible and able to withstand sterilization processes if needed. By following international standards we ensure that our cables are compatible with most major ESU's. Our cables are available in lengths 3 m, 4 m or 5 m.

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'saap : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com



Bipolar Cable

Instruments Connector: **USA 2-Pin Plug**

Generator Connector: **4mm Banana Plug**

Reusable Silicon 3m Cable **381-1100**

Single Use 3m Cable **381-1102**



Bipolar Cable

Instruments Connector: **European Flat Plug**

Generator Connector: **4mm Banana Plug**

Reusable Silicon 3m Cable **381-1104**

Single Use 3m Cable **381-1106**



Bipolar Cable

Instruments Connector: **USA 2-Pin Plug**

Generator Connector: **Pin Distance 29mm**

Reusable Silicon 3m Cable **381-1112**

Single Use 3m Cable **381-1114**



Bipolar Cable

Instruments Connector: **European Flat Plug**

Generator Connector: **Pin Distance 29mm**

Reusable Silicon 3m Cable **381-1108**

Single Use 3m Cable **381-1110**



Bipolar Cable

Instruments Connector: **Bipolar Artery Sealer**

Generator Connector: **4mm Banana Plug**

Reusable Silicon 3m Cable **381-1116**

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



European Bipolar Cable

Instruments Connector: **European Flat Plug**

Generator Connector: **Martin Type**

Reusable Silicon 3m Cable **381-1118**



US Bipolar Cable

Instruments Connector: **USA 2-Pin Plug**

Generator Connector: **Martin Type**

Reusable Silicon 3m Cable **381-1120**



European Bipolar Cable

Instruments Connector: **European Flat Plug**

Generator Connector: **Erbe Type**

Reusable Silicon 3m Cable **381-1122**



US Bipolar Cable

Instruments Connector: **USA 2-Pin Plug**

Generator Connector: **Erbe Type**

Reusable Silicon 3m Cable **381-1124**



Bipolar Cable

Instruments Connector: **Ethicon**

Generator Connector: **4mm Banana Plug**

Reusable Silicon 3m Cable **381-1126**

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design



Monopolar Cable

Instruments Connector: **Screw Type**

Generator Connector: **Standard Bovie 8mm Plug**

Reusable Silicon 3m Cable **381-1128**



Monopolar Cable

Instruments Connector: **4mm Female Fitting**

Generator Connector: **Standard Bovie 8mm Plug**

Reusable Silicon 3m Cable **381-1130**



Monopolar Endoscopic Cable

Instruments Connector: **4mm Female Fitting**

Generator Connector: **4mm Banana Plug**

Reusable Silicon 3m Cable **381-1132**



Diathermy Cable

Instruments Connector: **4mm Male Fitting**

Generator Connector: **4mm Banana Plug**

Reusable Silicon 3m Cable **381-1134**



Diathermy Cable

Instruments Connector: **4.8mm Female Fitting**

Generator Connector: **4mm Banana Plug**

Reusable Silicon 3m Cable **381-1136**



Diathermy Cable

Instruments Connector: **4.8mm Female Fitting**

Generator Connector: **Stan. Bovie 8mm Plug**

Reusable Silicon 3m Cable **381-1138**

TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com

THE COMPUTING BIZ

Explore creative ideas to spark your next product design

- 381-1150 Artery Sealer 6.5"
- 381-1152 Artery Sealer 7.5"
- 381-1154 Artery Sealer 8.5"
- 381-1156 Artery Sealer 9.5"
- 381-1158 Artery Sealer 10.5"



- 381-1160 Non-Stick Artery Sealer 6.5"
- 381-1162 Non-Stick Artery Sealer 7.5"
- 381-1164 Non-Stick Artery Sealer 8.5"
- 381-1166 Non-Stick Artery Sealer 9.5"
- 381-1168 Non-Stick Artery Sealer 10.5"



TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com / thecomputingbizpk@gmail.com



THE COMPUTING BIZ

Explore creative ideas to spark your next product design



TEAM WORK

Manufacturing Team - Designer Team - Web development - Team All in One House

Mobile/What'sapp : +923078279895 E-mail : info@thecomputingbiz.com /thecomputingbizpk@gmail.com